

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) An index print, comprising:
a substrate;
a plurality of index images printed with low resolution on the substrate; and
a plurality of memory tags coupled to the substrate;
wherein each memory tag has storage capacity to store a high resolution copy of
an image;
wherein at least one of the plurality of index images is associated with a memory
tag, wherein the memory tag associated with at least one of the plurality of index images is
configured to store a high resolution copy of the index image it is associated with; and
wherein one of the plurality of memory tags is configured to store at least one of a
list of index images, respective locations of the index images, and locations of the memory tags
associated with at least one of the plurality of index images.
2. (Cancelled)
3. (Previously Presented) An index print according to claim 1, wherein the memory
tag associated with at least one of the plurality of index images is further configured to store data
related to the initial creation of the high resolution image or the index image.
4. (Previously Presented) An index print according to claim 1, wherein the memory
tag associated with at least one of the plurality of index images is further configured to store data
relating to the content of the high resolution image or the index image.
5. (Previously Presented) An index print according to claim 1, wherein the memory
tag associated with at least one of the plurality of index images is located on the substrate
adjacent to the respective index image.

6. (Previously Presented) An index print according to claim 1, wherein the substrate is divided into a plurality of index image areas, each of which has printed thereon a single index image and is provided with an associated memory tag.

7. (Previously Presented) An index print according to claim 6, wherein each memory tag associated with at least one of the plurality of index images is located in the same place in the respective index image area.

8. (Previously Presented) An index print according to claim 6, wherein each memory tag associated with at least one of the plurality of index images is located in the same place with respect to the respective index image.

9. (Cancelled)

10. (Previously Presented) An index print according to claim 1, wherein the index print includes an icon at the location of each memory tag.

11. (Previously Presented) An index print according to claim 1, wherein each of the plurality of memory tags is adapted to be inductively powered to transmit data stored thereon.

12. (Previously Presented) A print medium, comprising:
a substrate with a printable surface; and
a plurality of memory tags coupled thereto at locations spaced apart over the area of the substrate, wherein each memory tag has storage capacity to store a high resolution copy of an image;

wherein the printable surface comprises a plurality of index images that are printed with low resolution and a memory tag is associated with at least one of the index images, wherein the memory tag associated with at least one of the index images is configured to store a high resolution copy of the index image it is associated with;

wherein one of the plurality of memory tags is configured to store at least one of a list of index images, respective locations of the index images, and locations of the memory tags associated with at least one of the plurality of index images.

13. (Original) A print medium as claimed in claim 12, wherein each memory tag is adapted to be inductively powered for receiving data to be written to it.

14. (Previously Presented) A print medium according to claim 12, wherein the substrate is divided into a plurality of index image areas and a memory tag is located in each index image area.

15. (Previously Presented) A print medium according to claim 14, wherein the index image areas form a regular grid and each memory tag is located in the same place with respect to the index image area in which it is located.

16. (Previously Presented) A print medium according to claim 14 wherein the index image areas form a regular grid and the memory tags are located in different locations within the index image areas.

17. (Previously Presented) A method of storing data concerning a plurality of index images on a print medium including a substrate and a plurality of memory tags coupled thereto at locations spaced apart over the area of the substrate, wherein each memory tag has storage capacity to store a high resolution copy of an index image, the method comprising the steps of:

printing a plurality of index images onto the substrate, each index image adjacent to a memory tag, wherein the plurality of index images are printed with low resolution;

for at least one of the index images, storing data associated with the respective index image in the memory tag adjacent to it, said data including the respective index image at high resolution;

printing a border onto the substrate, said border being printed proximate to a memory tag that is configured to store at least one of a list of index images, respective locations

of the index images, and locations of the memory tags associated with at least one of the plurality of index images.

18. (Previously Presented) A method of storing data concerning a plurality of images comprising the steps of:

printing a plurality of visible index images onto a substrate, wherein the plurality of visible index images are printed with low resolution;

applying a memory tag, comprising a passive electronic memory, to the substrate adjacent to at least one of the index visible images, wherein each memory tag has storage capacity to store a high resolution copy of an image;

applying a memory tag adjacent to a border, wherein the memory tag adjacent to the border is configured to store at least one of a list of index images, respective locations of the index images, and locations of the memory tags associated with at least one of the plurality of index images.

for each visible index image adjacent to which a memory tag has been applied, storing data associated with the visible index image in the memory tag adjacent to it, said data including the respective visible index image at high resolution.

19. (Original) A method according to claim 18 wherein the memory tags are applied to the substrate before the data is stored in them.

20. (Original) A method according to claim 18 wherein the data is stored in the memory tags before they are applied to the substrate.